



苏州咖鲜生智能科技有限公司  
Suzhou Mr.Cafe Co., Ltd

江苏·苏州·工业园区·唯新路63号10幢10楼  
10th Floor, Building 10, No. 63 Weixin Road, Suzhou  
Industrial Park, Jiangsu Province  
Email:info@mr.cafe  
Website:www.mr.cafe  
0512-67628268



## PRODUCT CATALOG

咖先生2025年度产品手册

# ABOUT US

## 关于我们

Mr.Cafe 咖先生是一个新锐的智能咖啡设备品牌，公司致力于将传统咖啡机产业智能、互联网化，并予以综合运用的智能咖啡设备制造商。

公司以桌面式智能咖啡机为起点的，智能人机交互咖啡机的运营设备+物联网设备制造商，基于云管理“互联网+”咖啡机设备制造公司。

Mr. Cafe is a cutting-edge brand for smart coffee machines.

Different from traditional industry, Mr. Cafe is committed to building an intelligent and internet-based coffee machine company.■

Starting with desktop smart coffee machines, Mr. Cafe also provides operation systems for self-service smart payment coffee machines, as well as R&D, production and sales for coffee machine peripherals.





**Honesty**

诚信

**Struggle**

拼搏

**Innovate**

创新

**Share**

悦享

## Vision 愿景

悦享咖啡风味


Enjoying coffee flavor

## Mission 使命

致力于提供高品质咖啡设备，使工作和旅行生活、家庭更方便的享受美味的咖啡


Committed to providing high-quality coffee equipment to make work, travel, and family more convenient to enjoy delicious coffee

半自动  
咖啡机



SEMI-  
AUTOMATIC  
COFFEE MACHINES

超级全自动  
奶泡机



AUTOMATIC  
FOAM  
MASTERS

全自动  
咖啡液咖啡机



AUTOMATIC  
LIQUID  
COFFEE MACHINES

专业  
牛奶冷藏柜



MILK  
COOLERS

暖杯架



CUP  
WARMERS



## 真正的压力读数 Real pressure readings

大多数浓缩咖啡机会告诉您泵的压力，这是没有用的。咖啡粉饼的压力才是您需要知道的，我们是提供它的少数几台机器之一。这些信息对于培养您的咖啡粉饼的认识和准备至关重要。

Most espresso machines will tell you the pressure of the pump, which is useless. The pressure of the coffee bed is what you need to know, and we are one of the few machines that provide it. This information is crucial to developing your coffee bed awareness and preparation.

## 真正的萃取温度 Real extraction temperature


大多数浓缩咖啡机会告诉您锅炉的水温，这是没用的，接触咖啡粉饼的水温才是萃取温度，我们是实时展现并控制它的少数几台机器之一。水温是萃取品质最关键的因素之一。

水温误差值精确到0.1°C；而传统商用咖啡机水温误差值介乎3°C；家用咖啡机水温误差值通常在10°C内。

高端咖啡机才能有如此精准的水温控制功能。

Most espresso machines will tell you the water temperature of the boiler, which is useless, the water temperature touching the coffee powder is the extraction temperature, and we are one of the few machines that can display and control it in real time. Water temperature is one of the most important factors of extraction quality.

The water temperature error value is accurate to 0.1 °C; The traditional commercial coffee machine water temperature error value is within 3 °C; Home coffee machine water temperature error value is usually within 10 °C. Only high-end coffee machines have such precise water temperature control.



## 创新型FTH即热系统 Thermomatic system

E-fast快速全方位过热保护技术，“真”即热厚膜技术，3秒快速加热，快速冷却，且能有效解决水垢问题。可达到A+++欧盟能源评级标准，无须待机，彻底解决耗电问题，有效降低营运成本。

E-fast fast comprehensive overheat protection technology, "true" instant heating thick film technology, 3 seconds fast heating, fast cooling, and can effectively solve scale problems. It can meet the A+++ EU energy rating standard, without standby, completely solve the problem of power consumption, and effectively reduce operating costs.



## 核心咖啡控制系统

### Self-developed core coffee control system

智能控制大屏。创新自研咖啡软硬件系统，可定制大屏物联网远程管理系统，统一化，数据化管理应用。

Smart control screen. Innovative self-developed coffee hardware and software system, can be customized large screen iot remote management system, unified, data management applications.



卓越呈现咖啡风味  
Excellent coffee flavor

# 99.99%

## 咖啡原始风味呈现

Coffee original flavor presentation



### 数字化预浸泡系统 Digital pre-soaking system

专家们认为萃取轻度烘焙的咖啡豆最佳方法是在低压情况下，以60秒非常缓慢地完成咖啡粉预浸泡。

Experts believe that the best way to extract lightly roasted coffee beans is to complete a very slow pre-soak of ground coffee in 60 seconds at low pressure.



### 渐进式萃取 Progressive extraction

在咖啡萃取过程中，由外而渐进式萃取，水量精准控制，流速更均匀，吸水量更足，萃取均衡，更充分。

In the coffee extraction process, from the outside and progressive extraction, precise water volume control , more uniform flow velocity, more water absorption, balanced extraction, more adequate.

全自动技术智能化的操控系统赋能半自动出品方式  
Automatic technology intelligent control system  
enables semi-automatic production



## 高级奶泡大师系统 Foamaster System

混沌奶泡系统开创者，奶泡丝滑更持久、  
更香甜。

The pioneer of chaos milk foam system,  
milk foam silky longer, more sweet.



## 一键锅炉换水新鲜系统CWS One key boiler water fresh system CWS

创新锅炉换水系统，连蒸汽都是新鲜的味道

Innovative boiler water change system,  
even the steam is fresh smell



## 一键全自动深度保养 One-click automatic deep maintenance

轻轻一按，咖啡机即可自动进入深度保养模式，无需用户参  
与，省时省力。确保每一滴咖啡都能完美释放其独特风味。

With one click, the coffee machine can automatically  
enter deep maintenance mode, without user involve-  
ment, saving time and effort. Ensure that every drop of  
coffee perfectly releases its unique flavor.



# MRC半自动咖啡机系列

MRC SEMI-AUTOMATIC COFFEE MACHINE SERIES



S800

S600

S480

S450

H6

S100

S200

适用场景

商业餐饮  
Catering

办公室  
Office

家居  
Home



# MRC ESONE

多段自由变压萃取和萃取时间停留

Multistages free variable pressure extraction and extraction time residence



专业蒸汽杆

Professional steam rod



咖啡蒸汽独立双锅炉，温度更精准

Coffee steam independent double boiler, more accurate temperature



单独设置温度

Set the temperature separately

# MRC S100

萃茶和模拟手冲咖啡

Tea brewing and simulate pour-over coffee



一键锅炉换水，蒸汽锅炉可关闭

CWS fresh system, one click to change water to the boiler, Steam boiler function can be switched off easily



多段自由变压、变温萃取和萃取时间停留

Multistages free variable pressure, variable temperature extraction and extraction time residence



可变温冷热水

Variable temperature hot and cold water

型号 Model	ESONE
奶泡方式 Milk foam	专业四孔蒸汽杆 Professional four holes Steam
萃取压力 Brew pressure	无极可变 Stepless variable
规格 Specification	220-240V 50/60Hz 2700~3600W
萃取温度 Brew temperature	可变 Variable
咖啡方式 Coffee	700ml 锅炉 Boiler
热水温度 Water temperature	不可变 Fixed
蒸汽方式 Steam	700ml 锅炉 Boiler
颜色 Colour	睿智黑 Black / 象牙白 White / 可定制 Customizable
尺寸 Sizes (W*D*H)	320*500*500mm
净重/毛重 N.W/G.W	36/38kg

型号 Model	S100
奶泡方式 Milk foam	专业四孔蒸汽杆 Professional four holes Steam
萃取压力 Brew pressure	无极可变 Stepless variable
规格 Specification	220-240V 50/60Hz 3600W
萃取温度 Brew temperature	无极可变 Stepless variable
咖啡方式 Coffee	流通式加热器 Thermomatic heater
热水温度 Water temperature	无极可变 Stepless variable
蒸汽方式 Steam	700ml 锅炉 Boiler
颜色 Colour	睿智黑 Black / 象牙白 White / 可定制 Customizable
尺寸 Sizes (W*D*H)	320*500*500mm
净重/毛重 N.W/G.W	36/38kg

# MRC S180

一键式超级冷热无水奶泡

One-click automatic hot & cold steamless milk froth system



一键咖啡锅炉换水，随时清新每一杯咖啡

One click coffee boiler change water, fresh every cup of coffee at any time



多段自由变压萃取和萃取时间停留

Multistages free variable pressure extraction and extraction time residence



慢预浸系统

Pre-brew system

# MRC S200 / S200Plus

一键式超级冷热无水奶泡

One-click automatic hot & cold steamless milk froth system



多段自由变压、变温萃取和萃取时间停留

Multistages free variable pressure, variable temperature extracion and extraction time residence



可变温冷热水

Variable temperature hot and cold water



慢预浸系统

Pre-brew system

型号 Model	S180
奶泡方式 Milk foam	超级全自动冷热奶泡 Hot&Cold Foamaster
萃取压力 Brew pressure	无极可变 Stepless variable 0~12bar
规格 Specification	220-240V 50/60Hz 2700W~3600W
萃取温度 Brew temperature	可变 Variable
咖啡方式 Coffee	700ml 锅炉 Boiler
热水温度 Water temperature	不可变 Fixed
奶泡方式 Milk foam system	全自动奶沫 FOAMASTER
颜色 Colour	睿智黑 Black /象牙白 White/可定制 Customizable
尺寸 Sizes (W*D*H)	320*500*500mm
净重/毛重 N.W/G.W	36/38kg

型号 Model	S200 (S200Plus)
奶泡方式 Milk foam	超级全自动冷热奶泡 Hot&Cold Foamaster
萃取压力 Brew pressure	无极可变 Stepless variable 0~12bar
规格 Specification	220-240V 50/60Hz 2500W(3600W)
萃取温度 Brew temperature	无极可变 Stepless variable
咖啡方式 Coffee	流通式加热器 Thermomatic
热水温度 Water temperature	无极可变 Stepless variable
奶泡方式 Milk foam system	全自动奶沫 FOAMASTER
颜色 Colour	睿智黑Black /象牙白White/可定制Customizable
尺寸 Sizes (W*D*H)	320*500*500mm
净重/毛重 N.W/G.W	36/38kg

# CAFE MASTER



适用场景

商业餐饮  
Catering

咖啡馆  
Café

连锁店  
CVS

## S480

### 一键式超级混沌奶泡

One-click Super Chaos Milk Foam



多段自由变压、变温萃取和萃取时间停留

Multistages free variable pressure, variable temperature extracion and extraction time residence



同时配备全自动奶泡系统与专业蒸汽杆，轻松应对各种牛奶加热需求

With fully automatic milk foam system and professional steam rod, it is easy to meet various milk heating needs



流量/压力预设

Flow/Pressure Profiling

真实粉饼压力

Authentic Pressure Readings

预注程序观察

Pre-infusion End Detection

定量注水

Volumetric Dosing

型号 Model	CAFE MASTER S480
奶泡方式 Milk foam	专业蒸汽杆+全自动奶沫系统 Professional steam rod + Chaos milk foam
萃取压力 Brew pressure	无极可变 Stepless variable
规格 Specification	220-240V 50/60Hz 3600W
水泵 Pump	直流无刷齿轮泵 BLDC Gear pump
加热方式 Heating method	独立双锅炉 Separate double boiler
颜色 Colour	睿智黑 Black / 象牙白 White
尺寸 Sizes (W*D*H)	420*535*480 mm
净重/毛重 N.W/G.W	43kg/46kg

# S450

萃茶和模拟手冲咖啡

Tea brewing and simulate pour-over coffee



多段自由变压、变温萃取和萃取时间停留

Multistages free variable pressure, variable temperature extraction and extraction time residence



慢预浸系统

Pre-brew system



流量/压力预设

Flow/Pressure Profiling

# S400

多段自由变压萃取和萃取时间停留

Multistages free variable pressure extraction and extraction time residence



一键锅炉换水，蒸汽锅炉可关闭  
CWS fresh system, one click to change water to the boiler, Steam boiler function can be switched off easily



慢预浸系统

Pre-brew system



专业蒸汽杆

Professional steam rod

真实粉饼压力

Authentic Pressure Readings

预注程序观察

Pre-infusion End Detection

定量注水

Volumetric Dosing

型号 Model	CAFE MASTER S450
奶泡方式 Milk foam	专业蒸汽杆 Professional steam rod
萃取压力 Brew pressure	无极可变 Stepless variable
规格 Specification	220-240V 50/60Hz 3500W
水泵 Pump	直流无刷齿轮泵 BLDC Gear pump
加热方式 Heating method	Thermomatic即热+蒸汽锅炉 Thermomatic instant heating + steam boiler
颜色 Colour	睿智黑 Black / 象牙白 White
尺寸 Sizes (W*D*H)	420*535*480 mm
净重/毛重 N.W/G.W	40kg/43kg

型号 Model	CAFE MASTER S400
奶泡方式 Milk foam	专业四孔蒸汽杆 Professional four holes steam
萃取压力 Brew pressure	无极可变 Stepless variable
规格 Specification	220-240V 50/60Hz 2700~3600W
萃取温度 Brew temperature	可变 Variable
咖啡方式 Coffee	700ml 锅炉 Boiler
热水温度 Water temperature	不可变 Fixed
蒸汽方式 Steam	2.5L锅炉 Boiler
颜色 Colour	睿智黑 Black / 象牙白 White/可定制 Customizable
尺寸 Sizes (W*D*H)	420*535*480 mm
净重/毛重 N.W/G.W	40kg/43kg

# H6



# H6

## 多段自由变压萃取和萃取时间停留

Multistages free variable pressure extraction and extraction time residence



智能自定义控制

Smart custom control by yourself



可变温冷热水

Variable temperature hot and cold water



慢预浸系统

Pre-brew system

真实粉饼压力

Authentic Pressure Readings

预注程序观察

Pre-infusion End Detection

定量注水

Volumetric Dosing

型号 Model	CAFE MASTER H6
奶泡方式 Milk foam	专业蒸汽杆 Professional steam rod
萃取压力 Brew pressure	无极可变 Stepless variable
规格 Specification	220-240V 50/60Hz 2400W
水泵 Pump	直流无刷齿轮泵 BLDC Gear pump
加热方式 Heating method	Thermomatic即热 Thermomatic instant heating
颜色 Colour	睿智黑 Black /象牙白 White
尺寸 Sizes (W*D*H)	260*430*400mm
净重/毛重N.W/G.W	26kg/27kg

# S600

多段自由变压萃取和萃取时间停留

Multistages free variable pressure extraction and extraction time residence



多段自由变压、变温萃取和萃取时间停留

Multistages free variable pressure, variable temperature extracion and extraction time residence



慢预浸系统

Pre-brew system



专业蒸汽杆

Professional steam rod

# S800

多段自由变压萃取和萃取时间停留

Multistages free variable pressure extraction and extraction time residence



多段自由变压、变温萃取和萃取时间停留

Multistages free variable pressure, variable temperature extracion and extraction time residence



慢预浸系统

Pre-brew system



专业蒸汽杆

Professional steam rod

真实粉饼压力

Authentic Pressure Readings

预注程序观察

Pre-infusion End Detection

定量注水

Volumetric Dosing

真实粉饼压力

Authentic Pressure Readings

预注程序观察

Pre-infusion End Detection

定量注水

Volumetric Dosing

型号 Model	CAFE MASTER S600
奶泡方式 Milk foam	专业蒸汽杆 Professional steam rod
萃取压力 Brew pressure	双头独立可变 Both groups variable
规格 Specification	220-240V 50/60Hz 3500W
水泵 Pump	直流无刷齿轮泵 BLDC Gear pump*2
加热方式 Heating method	锅炉 Boiler*3
颜色 Colour	睿智黑 Black/象牙白 White
尺寸 Sizes (W*D*H)	580*520*485mm
净重/毛重 N.W/G.W	60kg/65kg

型号 Model	CAFE MASTER S800
奶泡方式 Milk foam	专业蒸汽杆 Professional steam rod
萃取压力 Brew pressure	双头独立可变 Both groups variable
规格 Specification	220-240V 50/60Hz 3500W
水泵 Pump	直流无刷齿轮泵 BLDC Gear pump*2
加热方式 Heating method	锅炉 Boiler*3
颜色 Colour	睿智黑 Black /象牙白 White
尺寸 Sizes (W*D*H)	580*520*470mm
净重/毛重 N.W/G.W	60kg/65kg

# 全自动奶泡机

## AUTOMATIC MILK FOAM



适用场景

咖啡馆  
Café

机械臂咖啡  
Robotic Coffee

面包房  
Bakery

商业餐饮  
Catering

办公室  
Office

## CAFE MATE

一键丝滑冷热奶泡&强力四孔专业电控蒸汽

CAFE MATE is a fully automatic milk foam machine with one-click silky hot and cold milk foam, milk cap and milk, and strong professional four holes electronic control steam



丝滑冷热奶泡  
Silky hot and cold milk foam



专业电控蒸汽杆  
Professional electronic control steam rod



BLDC专业奶泵  
BLDC Professional milk pump



隔离杠杠电磁阀  
Isolation milk lever valve



高频气阀  
High frequency air valve



专业超大蒸汽锅炉  
Professional super large steam boiler



### CAFE MATE PLUS

一种牛奶+专业蒸汽杆  
A milk + professional steam rod

### CAFE MATE PRO PLUS

两种牛奶+专业蒸汽杆  
Two kinds of milk + professional steam rod

型号 Model	CAFE MATE PLUS
出品速度 Beverage speed	16g/s
日建议出杯 Advised daily output	450
功率 Rated power(W)	3600W
电压 Rated voltage&frequency	220-240V 50/60Hz
加热方式 Heating method	2.5L专业蒸汽锅炉 2.5L Professional steam boiler
颜色 Colour	睿智黑 Black/象牙白 White/银色 Silver /黑&白 B&W
尺寸 Sizes (W*D*H)	200*420*470mm
净重/毛重 N.W/G.W	25/27kg

# M08Pro/M20Pro

一键冷热奶沫/冷奶盖/超级全自动奶泡机

Milkmaster is a fully automatic milk foam with one-click hot & cold milk foam, milk cap and milk



一键冷热奶沫

One-click hot & cold milk foam



智能大屏

7-inch large screen



专业超大锅炉  
Instant heating heater FTH XL



专业奶泵

Milk gear pump



隔离杠杆电磁阀

Isolation milk leave valve



高频气阀

High frequency air valve



## M08 Pro

标准版:一种牛奶系统

Standard version:only one flavor of milk function

## M09 Pro

配置一种牛奶系统+三种风味糖浆系统

One flavor of milk function+three flavors of syrups function

## M20 Pro

配置两种牛奶系统 (可选配三种糖浆系统)

Two flavors of milk function(can choose to add three flavors of syrups function)

# Foamaster

一键冷热奶沫/奶盖/超级全自动奶泡机。更快出品，更高效率

Foamaster is a fully automatic milk foam with one-click hot and cold milk foam, milk cap and milk. Based on the M series, Foamaster series improve the machine's output rate and save time



一键冷热奶沫

One-click hot & cold milk foam



智能大屏

7-inch large screen



专业超大锅炉  
Instant heating heater FTH XL



专业奶泵

Milk gear pump



隔离杠杆电磁阀

Isolation milk leave valve



高频气阀

High frequency air valve



## Foamaster 1/1S

标准版:一种牛奶系统

Standard version:only one flavor of milk function

## Foamaster 2/2S

配置两种牛奶系统

Two flavors of milk function

## Foamaster 3/3S

配置三种牛奶系统

Three flavors of milk function

型号 Model	M08Pro/M20 Pro
出品速度 Beverage speed	15ml/s
日建议出杯 Advised daily output	300
功率 Rated power(W)	3200W
电压 Rated voltage&frequency	220-240V 50/60HZ
加热方式 Heating method	进口厚膜加热器/NTC控温 Flow Through Heaters
颜色 Colour	睿智黑Black 银色Silver
尺寸 Sizes (W*D*H)	240*500*470mm
净重/毛重N.W/G.W	19kg/21kg

型号 Model	Foamaster 1/2/3	Foamaster 1S/2S/3S
出品速度 Beverage speed	13g/s	15ml/s
日建议出杯 Advised daily output	300	450
功率 Rated power(W)	2500W	3400W
电压 Rated voltage&frequency	220-240V 50/60Hz	
加热方式 Heating method	进口厚膜加热器/NTC控温 Flow Through Heaters	
颜色 Colour	睿智黑Black /象牙白White /银色Silver /黑&白 B&W	
尺寸 Sizes (W*D*H)		200*420*450mm
净重/毛重N.W/G.W		11kg/13kg

# 全自动 咖啡液咖啡机

## AUTOMATIC COFFEE LIQUID MACHINES



### 风味大师系统 FLAVOR MASTER

一键制作风味咖啡，可自定义 焦糖、香草、桂花、蔗糖、榛果拿铁、香草玛奇朵、蔗糖美式...

One-click to make flavored coffee, can customize caramel, vanilla, osmanthus, sucrose

Hazelnut latte, vanilla Macchiato, Sugar



商业餐饮  
Catering



办公室  
Office

适用场景

### C系列 Series

一键使用咖啡液制作意式，美式，拿铁，卡布奇诺等咖啡饮品

C Series is a fully automatic coffee liquid machine with one-click coffee concentrate to make espresso, americano, latte, cappuccino and other coffee beverages



#### 牛奶 /咖啡液 /茶液 Milk/Coffee/Tea

MILK MASTER 超级奶泡系统与优质新鲜的液态烘培咖啡&新鲜萃取的浓缩茶浆相互融合轻松制作一杯优质的牛奶咖啡或奶茶饮品。

The MILK MASTER Super Foam system is combined with high-quality fresh liquid roasted coffee and freshly extracted concentrated tea pulp to create a high-quality milk coffee or milk tea drink.

#### 两种风味糖浆果露加料站

#### Two kinds of flavored syrup feeding station

FLAVOR MASTER两种风味糖浆果露全自动独立加料站，可以在饮品中全自动添加所需风味糖浆果露。

FLAVOR MASTER two kinds of flavor syrup automatic independent feeding station, can automatically add the desired flavor syrup to the drink.

#### 丰富饮品 冷热随心

#### Enrich drinks hot and cold as you like

预设32款饮品，可以自行更改饮品配置，饮品温度可调水温可以自行设定，每一杯可以不同，饮品可以冷热，并且可以自行设置温度。

Preset 32 drinks, you can change the drink configuration, drink temperature adjustable water temperature can be set, each cup can be different, drinks can be hot and cold, and you can set the temperature.

型号 Model	C10 Pro	C20 Pro
电压功率 Voltage power	220-240V ~ 3200W	220-240V ~ 3200W
产能 Capacity	280 杯/小时 Cup/h	280 杯/小时 Cup/h
最高温度 Tmax	牛奶奶泡70°C Milk foam	牛奶奶泡70°C Milk foam
饮品配置 Beverage	冷热奶泡+咖啡液或茶液+冷热水 Hot and cold milk foam + coffee / tea liquid + hot and cold water	2种风味果露糖浆系统+咖啡液或茶液系统+冷热水 2 flavored syrup fruit syrup systems + coffee or tea liquid system + hot and cold water
屏幕尺寸 Screen	7寸触屏 7 inch touch screen	7寸触屏 7 inch touch screen
水压范围 Pressure	最大 Max 600KPa(6Bar)	最大 Max 600KPa(6Bar)
尺寸 Sizes( W*D*H)	240*500*470mm	240*500*470mm
净重/毛重N.W/G.W	19kg /21kg	20kg /22kg

# 压缩机制冷冰箱

COMPRESSOR TYPE  
MILK COOLERS



精准恒温控制，超高品质，超高稳定性

Precise and constant temperature control, ultra-high quality and stability

更大容量，压缩机高效制冷，牛奶长效保鲜

Larger capacity, compressor efficient refrigeration, keep long-lasting milk fresh

各大型连锁企业首选品牌

The preferred brand of large chain catering enterprises

型号 Model	MC-10	MC-12	MC-16	MC-18
容量 Capacity	12L	12L	18L	21L
外部宽深高 External (W*D*H)	248*450*420mm	248*450*470mm	248*450*560mm	285*515*470mm
内部宽深高 Internal( W*D*H)	185*215*330mm	185*215*330mm	185*215*460mm	205*360*285mm
箱体高度 Height of Milk Cooler	400mm	430mm	530mm	450mm
可选柜脚 Optional feet	20~70mm	20~70mm	20~70mm	20~70mm
选配奶盒 Optional milk carton	5L/8L	5L/8L	5L/8L	5L/8L
电压功率 Voltage power	220V~70W	220V~70W	220V~70W	220V~70W

# 半导体制冷冰箱

ELECTRONIC SEMICONDUCTOR  
MILK COOLERS



电子风冷，超高品质，超高稳定性

Electronic air-cooled, ultra-high quality and stability

更大容量，牛奶保鲜时间更久

Larger capacity and keep long-lasting milk fresh

办公租赁，酒店投放等性价比之选产品

The preferred cost-effective products for office leasing, hotel placement, etc.

型号 Model	MC-6E	MC-8E
容量 Capacity	18L	23L
外部宽深高 External W*D*H	258*510*380mm	258*510*470mm
内部宽深高 Internal W*D*H	185*330*310mm	185*330*350mm
箱体高度 Box height	360mm	440mm
选配奶盒 Optional milk carton	4L/5L	4L/5L
电压功率 Voltage power	220V~70W	220V~70W

# 冰箱暖杯架一体机

MILK COOLER WITH CUP WARMER

## MC-10H

智能炫彩氛围灯光，全自动/手动切换颜色  
Intelligent colorful ambient light, automatic or manual switch color



精准恒温控制，超高品质  
Precise and constant temperature control, ultra-high quality and stability

12L容量，压缩机高效制冷，牛奶长效保鲜  
12L capacity, compressor efficient refrigeration, keep long-lasting milk fresh

全金属机身，定制外观颜色  
304 stainless steel cup holder laminate, all-metal body, the color of the outlook can be customized

自动控温，双层加热  
Aluminum foil heating system, automatic temperature control, two heater layers

# 暖杯架 Cup warmer

## MC-10C


智能炫彩氛围灯光，全自动/手动切换颜色  
Intelligent colorful ambient light, automatic or manual switch color

304不锈钢杯架层板，全金属机身，可以定制外观颜色  
304 stainless steel cup holder laminate, all-metal body, the color of the outlook can be customized

铝箔加热系统，自动控温  
Aluminum foil heating system, automatic temperature control



○ 透明  
○ 白色  
● 黑色



○ 透明  
○ 白色  
● 黑色

## MC-20C/30C

智能炫彩氛围灯光，全自动/手动切换颜色  
Intelligent colorful ambient light, automatic or manual switch color

304不锈钢杯架层板，高级钢化安全玻璃  
304 stainless steel cup holder laminate, advanced tempered safety glasses

铝箔加热系统，自动控温  
Aluminum foil heating system, automatic temperature control

型号 Model	MC-10H
灯光控制 Lighting control	按键调光+自动调光 Button & Automatic dimming
电压功率 Voltage/power	110V~220V 50-120W
加热层数 Heater layer	三层 Three layers(MC-20C 两层 Two layers)
材质 Material	钢化玻璃+304不锈钢 Tempered glass +304 stainless steel
容量 Capacity	约30~60个(视杯子大小) About 30~60 cups
尺寸 Sizes( W*D*H)	350*436*585 mm
净重/毛重 N.W/G.W	25kg/27kg
外观专利 Appearance patent	202221132116

型号 Model	MC-20C/30C	MC-10C
灯光控制 Lighting control	按键调光+自动调光 Button & Automatic dimming	
电压功率 Voltage/power	110V~220V 50-120W	
加热层数 Heater layer	三层 Three layers(MC-20C 两层 Two layers)	
材质 Material	钢化玻璃+304不锈钢	
容量 Capacity	约30~60个(视杯子大小) About 30~60 cups	
尺寸 Sizes( W*D*H)	310*420*470mm	248*355*365mm
净重/毛重 N.W/G.W	19kg/21kg	10kg/11kg
外观专利 Appearance patent	202220686869	202330046784

## 辅件 Auxiliary parts



5L奶盒

5L Milk container



8L奶盒

8L Milk container

## 清洁品 Cleaning product



咖啡机清洁片

Coffee machine  
Cleaning tablet



咖啡机除垢粉

Coffee machine  
descaling cleaning  
powder



牛奶发泡系统清洁粉

Milk system cleaning powder

